


PET polyester acoustic Grid

PET polyester acoustic Grid range is a high sound absorbing panel range designed to control echo and reverberation ir areas with hard surfaces. PET polyester acoustic Grid range improves the quality of the environment due to the products ability to absorb echo and reverberation.



Advantages

- Sound absorbing
- Fire retardant
- Fire easily installed
- 16 colours
- Single-polymer & recyclable
- Easy cleaning
- Durable & moisture resistant
- Quick availability

PET polyester acoustic Grid range act as a sound absorbing ceiling Grid to eliminate echo and reverberation around the working environment. The Grid are suspended from the ceiling with our suspension kits.

PET polyester acoustic Grid core material is a compressed polyester panel manufactured using post-consumer recycled polyester from plastic bottles. The Grid range has been designed to a very specific density to achieve the correct acoustic performance. The panels are available in 12mm thickness, and in 16 different colours.

Technical Information

| Acoustic Absorber - PET POLYESTER ACOUSTIC Grid | | | | | | | |
|---|------|------|------|------|------|------|------|
| Frequency (Hz) | 125 | 250 | 500 | 1000 | 2000 | 4000 | NRC |
| PET Grid™ 12mm | 0.40 | 0.85 | 1.00 | 0.96 | 1.00 | 1.00 | 0.95 |

Cleaning

Light dirt marks may be removed by using a moist cloth. A small area should be tested before doing the rest of the area to ensure that the surface is not adversely affected.

Weight

PET polyester acoustic Grid Acoustic Grid panels weigh in at 4.5kg/m2.

Note: All weights are given as approximations.

Fire

PET polyester acoustic Grid has been tested and offers EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements—Part 1: Classification using data from reaction to fire tests, Class B.

Cutting

PET polyester acoustic Grid can be cut with a sharp Stanley knife



Polyester Colour Range









Preferred Contracts Limited Acoustics and Design Belfry House, Bell Lane, Hertford, Herts, SG14 1BP T: +44 (0) 1992 893375

E: <u>info@preferredcontracts.com</u>

www.preferredacoustics.com www.preferredcontracts.com